

QUERI Series: The Role of Organizational Research in Implementing Evidence-based Practice: VA QUERI Examples and Applications

Elizabeth M. Yano, PhD^{1,2§}

¹VA Greater Los Angeles Health Services Research and Development (HSR&D) Center of Excellence for the Study of Healthcare Provider Behaviour, VA Greater Los Angeles Healthcare System, Sepulveda, CA, USA

²Department of Health Services, UCLA School of Public Health, Los Angeles, CA, USA

[§]Corresponding author

Email address:

EMY: elizabeth.yano@va.gov

Abstract

Background

Health care organizations exert significant influence on the manner in which clinicians practice and the processes and outcomes of care that patients experience. A greater understanding of the organizational milieu into which innovations will be introduced, as well as the organizational factors that are likely to foster or hinder the adoption and use of new technologies, care arrangements and quality improvement (QI) strategies is central to effective implementation of research into practice. Unfortunately, much implementation research seems to not recognize or adequately address the influence and importance of organizations. Using examples from the U.S. Department of Veterans Affairs (VA) QUERI, we describe the role of organizational research in advancing implementation of evidence-based practice in routine care settings.

Methods

Using the six-step QUERI process as a foundation, we present an organizational research framework designed to improve and accelerate implementation of evidence-based practice into routine care. Specific QUERI-related organizational research applications are reviewed, with discussion of the measures and methods used to apply them. We describe these applications in the context of a continuum of organizational research activities to be conducted before, during and after implementation.

Results

Since QUERI's inception, various approaches to organizational research have been employed to foster progress through the six QUERI process steps. We report on how explicit integration of

the evaluation of organizational factors into QUERI planning has informed the design of more effective care delivery system interventions and enabled their improved “fit” to individual VA facilities or practices. We examine the value and challenges in conducting organizational research, and briefly describe the contributions of organizational theory and environmental context to the research framework.

Conclusions

Understanding the organizational context of delivering evidence-based practice is a critical adjunct to efforts to systematically improve quality. Given the size and diversity of VA practices, coupled with unique organizational data sources, QUERI is well-positioned to make valuable contributions to the field of implementation science. More explicit accommodation of organizational inquiry into implementation research agendas has helped QUERI researchers to better frame and extend their work as they move toward regional and national spread activities.

Background

Health care organizations exert significant influence on the quality of care through an array of factors that directly or indirectly serve as the context in which clinicians practice and patients experience care [1]. A greater understanding of this context is central to closing the gap between research and practice. Each health care setting into which innovations are introduced represents its own organizational milieu, i.e., the structure and processes that comprise how an organization operates and behaves. Individually or in combination, these structures (e.g., size, staffing) and processes (e.g., practice arrangements, decision support) are likely to foster or hinder discrete steps in the adoption and use of new technologies, care arrangements and quality improvement (QI) strategies. Fixsen and colleagues liken such variables as being “like gravity...omnipresent and influential at all levels of implementation” [2]. Unfortunately, much implementation research has failed to fully recognize or adequately address the influence and importance of health care organizational factors, which may pose risks to effective implementation of research into practice [3].

Evaluating the organizational context for delivering evidence-based practice is a critical adjunct to efforts to systematically improve quality. This paper uses the context of and examples from the U.S. Department of Veterans Affairs (VA) QUERI to illustrate a framework for fostering the integration and evaluation of health care organizational factors into the planning and study of implementation of evidence-based practice within the context of the six-step QUERI model. Based on implementation experiences since QUERI’s inception, we describe the role of organizational research using a series of QUERI-specific applications. We also briefly examine the contributions of organizational theory and environmental context to the organizational research framework.

This article is one in a *Series* of articles documenting implementation science frameworks and tools developed by the U.S. Department of Veterans Affairs (VA) Quality Enhancement Research Initiative (QUERI). QUERI is briefly outlined in Table 1 and described in more detail in previous publications [4,5]. The *Series*' introductory articles [6,7] highlight aspects of QUERI related specifically to implementation science and describe additional types of articles contained in the *QUERI Series*.

Methods

Using the six-step QUERI process as a foundation (Table 1), we designed an organizational research framework to help improve and accelerate implementation of evidence-based practice into routine care. We reviewed organizational research from specific QUERI centers, culling and summarizing the organizational measures they included and the methods used to apply them to different implementation research efforts. We describe these applications in the context of a continuum of organizational research activities to be conducted before, during and after implementation.

Role of Organizational Factors in Implementation Research

Evaluation of the influence of organizational characteristics on the quality of care has gained in its salience and value, as efforts to implement evidence-based practice into routine care have grown [8] though with mixed results [9]. As interventions to improve quality through structured implementation programs have moved from relatively homogenized “ideal” clinical settings to more diverse clinical environments where tight research controls are replaced by handoffs to hospital and practice teams, the organizational context becomes increasingly central to our understanding of what works and does not work in implementing research-defined structures and

processes into operational realities [10-11]. Historically, since most clinical and delivery system interventions have been tested in a single or small number of institutions, within which the efficacy of the intervention has been evaluated and honed, organizational conditions have been either ignored (since they assumedly did not vary) or somehow controlled for. As a result, relatively few linkages between organizational structure and quality (either processes or outcomes of care) have been demonstrated [12]. However, as these interventions are implemented in a larger number of organizations, to diverse settings, and to different locales, the ability to implement them in the manner in which they were originally defined and demonstrated to be effective has and will continue to decline markedly without better and more explicit integration of an organizational research framework into implementation research agendas [13]. As the need to adapt implementation efforts to local circumstances is increasingly recognized, the value of collecting advance information about structural and process characteristics in target institutions has also become more prominent [14].

The mechanisms by which organizational structures and processes may influence quality operate at many levels, and as a result, conceptualizations of what is meant by the organization of a health care system, setting or practice vary [15]. The diversity of how health care organizational factors are framed and defined complicates their measurement and the ability to easily integrate them into efforts to improve quality of care. How individual organizational constructs are conceptualized and measured in relation to implementation research efforts depends in large part on the following:

- The conceptual model and organizational theory (or theories) underlying the research [16];
- The nature of what is known and/or being hypothesized about the organizational structures

and processes underlying evidence-based care for each condition under study [17];

- The timing or stage of implementation during which organizational research is being conducted (i.e., at the outset as part of planning, during implementation to support adaptation and midcourse corrections, or after implementation in support of sustainability and spread) [14]; and,
- The nature of the study designs and evaluation methods needed to demonstrate implementation effectiveness and foster sustainability and spread at the organizational level.

Organizational Theory and Conceptual Frameworks

To date, the use of organizational theory in the design and deployment of evidence-based practices into routine care has been highly variable and generally under-used [18]. The dilemma for many implementation researchers is the absence of clear guidance on the nature of key theories and how best to use them [19]. QUERI is no different in this regard, especially given the relative dearth of theory-trained social scientists within the VA. Thus far, QUERI researchers have chiefly adopted useful heuristic models and conceptual frameworks (e.g., Greenhalgh's model, PRECEDE-PROCEED, RE-AIM, Chronic Care Model, complex adaptive systems), organizing measures around general constructs, but not necessarily grounding them in organizational theory [20-24]. New paradigms are needed that integrate salient psychological and organizational theories into a uniform model and make them accessible to implementation researchers [25-26].

What Is Known about Organizational Structures and Processes Underlying Evidence-based Practice

The Cochrane Effective Practice and Organization of Care (EPOC) group has conducted systematic reviews of a broad array of organizational and professional practice interventions [27]. While there is a relative plethora of strategies, programs, tools and interventions in the literature about ways to improve quality, the evidence base for systematically transforming care using established interventions is actually relatively poor [28], particularly in relation to the “black box” of organizational attributes. Outside of QUERI, organizational strategies for hospital-based quality improvement (QI) interventions have included data systems (i.e., for monitoring, audit-and-feedback and decision support functions), financial support for QI, clinical integration and information system capability (e.g., electronic medical records) [29], as well as compensation incentives [30]. Organizational culture has had mixed results, with greater influences in large medical groups or organizations [31] and limited if any influence in physician organizations [32]. Practice individuation or tailoring has also had variable success [33-35].

Timing of Organizational Research Applications Before, During and After Implementation

When to introduce organizational research applications as an adjunct to implementation efforts has also not been well-described. Figure 1 suggests possible timing of different organizational research activities in relation to the implementation, evaluation and spread of evidence-based practices.

First, organizational factors may be broadly applied as a pre-step to the design of QI interventions (i.e., elucidating organizational precursors of high and low performance) [35] or more narrowly in preparation for refining an implementation strategy in one or more specific facilities (needs assessment) [14]. During implementation, attention to local organizational

structures and processes enables systematic assessment of their influences on fidelity to the evidence (e.g., is the care model being deployed in ways consistent with the evidence base?). Such assessments may be accomplished through qualitative methods (e.g., semi-structured interviews of stakeholders at different levels of the organization; ethnographic immersion in the practice; observational site visit checklists of organizational resources) or quantitative methods (e.g., key informant surveys of predetermined organizational attributes; administrative data pulls on utilization patterns, costs, performance in total and for patient subgroups). Such organizational assessments are sometimes used as an integral function of evaluating implementation in real time to enable mid-course corrections through audits, feedback and adjustment of intervention elements (formative evaluation) [36] and other times as post-implementation appraisals.

If done iteratively, as in the Plan-Do-Study-Act (PDSA) cycles of individual quality improvement (QI) projects, local adaptation and resolution of implementation problems at the organizational level may be accelerated (Figure 1). Traditionally applied in continuous quality improvement (CQI), PDSA cycles are generally designed to take a single or few patients or providers through a series of processes underlying a proposed QI activity to iteratively test what works or does not work before investing in widespread policy or practice change [37]. Each process is refined, new elements added or others subtracted until the complete set of actions is found to be effective in a particular setting. In implementation research, PDSA cycles offer the same opportunity to hone implementation strategies in diverse settings. The system level PDSA occurs when the PDSA cycles move from implementation within a single organization to a set of organizations that may or may not be similar in characteristics to the original institution [14].

Though not all QUERI centers have relied on PDSA approaches for their implementation efforts,

as more of them move to multi-site implementation trials or are engaged in regional or national spread initiatives, we anticipate that greater appreciation of the details needed to adapt evidence-based practices to different organizational contexts will be helpful.

After implementation ends, traditional process and outcomes evaluations may be augmented with analyses of organizational variations in implementation strategies and outcomes (e.g., system-level effectiveness or costs) and the degree to which organizational factors influence sustainability and spread (Figure 1). Examining the impacts of the newly implemented evidence-based care on the organization as a whole is also an essential evaluation component as they begin to form the foundation for a business case for quality improvement for health care managers (e.g., changes in performance measures, employee satisfaction/retention, evidence for the organizational return-on-investment associated with changes in care) [38-39]. Systematic collection, analysis and reporting of detailed organizational data may then contribute to updated guidelines that integrate effective adaptations for different organizational characteristics.

Study Designs and Evaluation Methods Supporting Implementation Effectiveness

Achieving study designs and methods that produce credible evidence with relevance to “real world” settings is challenging, especially when aiming to evaluate population-based or practice-level interventions [40-41]. Balancing the needs of internal and external validity, pragmatic clinical trials offer participating sites an opportunity to modify the intervention to a degree that is likely to mirror what would happen under routine-care implementation [42-43]. Rather than open the “black box,” these trials assume that the known (and unknown) variables are randomly distributed between intervention and control sites. Systematically assessing organizational factors through qualitative or quantitative methods may nonetheless provide a useful empirical complement to our use of pragmatic clinical trials. This is especially true in circumstances when

researchers have reason to believe the variables of interest are not in fact randomly distributed. These types of data are also likely to improve our understanding of factors which influence provider or site participation [44-45] and the nature of modifications that worked in different organizational contexts [46].

Ensuring integration of rigorously designed and well-conducted organizational research to the mix will require not only broader recognition of its contribution to the goals of implementation science but also an organizational research framework, like the one proposed here, that guides researchers to the types of organizational research they ought to be considering each step along the way. We posit that collecting and using organizational data will increase what we are able to learn about what settings, arrangements and resources foster or hinder adoption, penetration, sustainability and spread beyond the trial or implementation process. As Green and Glasgow suggest, “if we want more evidence-based practice, we need more practice-based evidence” [46].

Common Concepts Representing Health Care Organizational Factors

Several common concepts have been used to describe the characteristics of health care organizations (Table 2). For the purposes of generally classifying different types of organizational attributes related to quality of care, we delineate them along the lines of Donabedian’s structure, process and outcome framework [47].

Organizational structures tend to focus on static resources, whether they are related to the physical plant (e.g., amount of clinical space, number of exam rooms), the functions of care incorporated into the physical plant (e.g., types of specialized units, such as ICUs, or expertise,

such as cardiac catheterization labs), the equipment they contain (e.g., availability of laboratory or diagnostic equipment, machinery, computers), or the people employed to deliver services (e.g., staffing levels, skill mix) [47]. These facets may be described as the health care infrastructure, and while they can be changed, they are not typically as mutable as other characteristics [48-49]. Structural measures also represent governance, managerial or professional arrangements for overseeing, managing and delivering services, including, for example, corporate leadership structures, types of health plan, service lines, and health care teams [50-52]. The diffusion of innovation literature portrays these measures as “inner context,” pointing to greater assimilation of innovations in organizations that are large (likely a proxy for slack resources and functional differentiation), mature, functionally differentiated (i.e., divided into semi-autonomous departments or units), and specialized (i.e., sufficient complexity representing needed professional knowledge and skillmix) [20].

Organizational processes may be distinguished from the classical interpretation of Donabedian’s process of care measures by virtue of their role in supporting the actions between provider and patient at a given encounter [47]. While they are influenced by organizational structure, they tend to be more mutable as they refer to practice arrangements, referral procedures, service coordination and other organizational actions. Using electronic medical records (EMRs) as an example, the number of computer workstations and types of software may be described as elements of organizational structure, but the ways in which they are used to deliver care (e.g., decision support capacities, communication processes between providers) represent organizational processes underlying health information technology [53].

The role of *culture and relationships as organizational attributes* are also important to health care redesign and implementation of evidence-based practice [54]. Schein has defined culture as

a pattern of shared basic assumptions that groups learn as a function of the problems they solve in response to external adaptation and internal integration [55]. When these group assumptions have worked well enough to be considered valid, they are taught to new members as the correct way to think and feel in relation to those problems (i.e., “this is how things are done around here”) [55-56]. As is often the case, evidence-based practice is likely to reflect a new way of doing things, and thus may come into conflict with the prevailing culture of a practice.

There are, however, highly divergent views on how to study culture [56-57]. Culture encompasses a wide range of concepts that capture attitudes, beliefs and feelings about how the organization functions or the role of the individual (or team) within the organization (e.g., leadership, practice autonomy, quality improvement orientation, readiness to change) [58-59]. Culture has been classified as both a structural feature (i.e., some measurable organizational average that characterizes a practice and serves as context or an explicit trait to accommodate) and an organizational process (i.e., symbolic approach for viewing the organizational life of an institution) [54,60]. Integral to the evaluation of and adaptation to local culture is the need to understand and appreciate the dynamics of relationships within and outside health care organizations that influence the adoption and use of innovations [61-62]. These dynamics may include consequences of political and social ideologies that may exert themselves on what is acceptable organizational behaviour [60]. Organizational culture is hypothesized to influence operational effectiveness, readiness to adopt new practices, and professional behaviour and style, and considered by many to be a critical determinant of organizational performance [31,35]. Culture change is thus commonly treated as an explicit (or implicit) part of efforts to implement evidence-based practice insofar as QI interventions aim to change business as usual [63-65]. Despite substantial interest in the potential of culture as an organizational attribute, there is no

widely agreed upon instrument to measure culture and no consensus on how best to analyze or apply findings from these data to improve implementation of evidence-based practice. Also, organizational culture as measured among VA employees has been fairly consistent over time, raising issues about its mutability and the measures' sensitivity to change.

Organizational outcomes are akin to other measures of quality at the provider or patient level, with the exception that they are best expressed as the aggregation or roll-up of processes or outcomes at the organizational level. While the unit of analysis may differ (e.g., team, clinic, practice, hospital, system), organizational outcomes are often reflected as performance measures or practice patterns that serve as summary measures of process quality (such as the percentage of eligible diabetics receiving foot sensation exams) or intermediate outcomes (such as glycemic control among all diabetics in the entire practice). Other outcomes include disease-related outcomes (e.g., complication rates, disease-specific morbidity and mortality), practice-level or population-based measures of effectiveness (e.g., ambulatory care sensitive admission rates, functional status), utilization patterns and costs. Many trials and observational studies of the implementation of evidence-based practice continue to focus on “enrolled” populations rather than the entire practice that would be likely to experience the new care model or practice intervention under routine conditions. Organizational outcomes are distinct only insofar as they represent what the entire practice or institution would experience as a whole once implementation is complete, and are thus inter-related to other evaluation activities.

The Role of Organizational Research in the QUERI Model

One of the foundations of QUERI has been to help operationalize the “interdependent relationships among clinicians, managers, policy makers, and researchers” [66].

The VA QUERI program's progress in conducting a series of progressively larger, multi-site implementation studies brings the nature and importance of organizational factors and the need for related planning into rapid relief. While most efforts outside the VA have focused on only a few and often immutable organizational parameters, such as size, QUERI studies have been able to uniquely capitalize on the size and diversity of the VA health care system to integrate organizational research more systematically. The role of organizational research is therefore both to understand the changeability of organizational attributes, and when fixed, to integrate them as effect modifiers in analyses of the effectiveness and impact of implementation efforts.

In the following sections, we describe the organizational research considerations that parallel the QUERI steps (Table 3) and describe examples of QUERI applications for each step (Table 4).

Evaluate Disease Burden and Set Organizational Priorities (Step #1)

In a national health care system like the VA, conditions have been chosen on the basis of nationally prevalent conditions (e.g., diabetics, depression) or those associated with high treatment costs (e.g., HIV/AIDS, schizophrenia). Target conditions have also been updated periodically to accommodate changes over time (e.g., additional focus on hepatitis C added to the QUERI HIV center mission and scope).

On a national level, all facilities have commonly been held to the same performance standards regardless of organizational variations in caseload or resources. In smaller systems or independent health care facilities, organizational priorities should be established based on ascertainment of disease burden at the appropriate target level (e.g., individual practices or clusters of practices). At this step, it is important to determine how salient target conditions are among member organizations or individual practices by evaluating the range or variation in

disease burden or performance. Modified Delphi expert panel techniques have been useful in establishing consensus among various organizational stakeholders in order to set institutional priorities [67]. These techniques entail advance presentation of the evidence base for a particular condition or setting (e.g., a compendium of effective interventions based on systematic reviews) [68-69] and stakeholders' pre-ratings of their perceptions of organizational needs and resources, followed by an in-person meeting where summary pre-ratings are reviewed and discussed. Participants then re-rate and prioritize planned actions with help of a trained moderator.

Many QUERI efforts have benefited from inclusion of QUERI-relevant measures in the national VA performance measurement system (e.g., glycemic control, colorectal cancer screening); this alignment of QUERI and national VA patient care goals fosters research/clinical partnerships in support of implementing evidence-based practice. For those QUERI centers whose conditions fall outside the national performance measurement system (e.g., HIV/AIDS), alternate strategies, such as business case modelling (i.e., spreadsheet-type models summarizing operational impacts of deploying a new care model or type of practice), have anecdotally met with some success.

Identify Evidence-based Practice Guidelines and Clinical Recommendations (Step #2)

Organizational attributes have come into play at Step #2 in QUERI when established guidelines assume access to or availability of certain organizational resources to accomplish them (e.g., specialty access, equipment availability). Many guidelines do not contain recommendations that consider organizational factors. It is thus essential to begin to consider the implications of the differences between the characteristics of the health care organizations in which efficacy and effectiveness have been established vs. those in which the evidence-based practices will subsequently be applied in order to improve their reach and adoption [70].

For example, for the Colorectal Cancer QUERI, VA and U.S. Department of Defense (DoD) guidelines for colorectal cancer screening were updated with recommendations for direct colonoscopy as the screening test of choice. Implementation of evidence-based practice in these circumstances would require different approaches in VA facilities with adequate in-house gastroenterology staffing compared to those where specialty access required referral to another VA facility or to community resources to accomplish the same goal. Anecdotally, in the face of limited specialty resources, some VA facilities adapted guideline adherence policies by fostering primary care-based sigmoidoscopies. In contrast, the U.S. Public Health Service smoking cessation guidelines relied on by researchers in the Substance Use Disorders QUERI offer a more explicit roadmap that includes adaptive changes to health care settings to promote adherence with options for actions within and outside of primary care [71]. However, even they are limited in terms of their guidance on how best to accommodate different organizational constraints.

Measure and Diagnose Quality/Performance Gaps (Step #3)

The inclusion of organizational research in Step #3 has had particular value. For example, Colorectal Cancer QUERI researchers have evaluated the organizational determinants of variations in colorectal cancer screening performance as an early step prior to designing implementation strategies, noting the contribution of primary care practice autonomy and resource sufficiency in the context of large medical centers to screening performance [72]. They also assessed system capacity for conducting colonoscopies to determine how implementation strategies might need to be adapted to deal with specialty shortages or referral arrangements [14]. Organizational knowledge from Step #3 studies may therefore be used to facilitate planning for Step #4 implementation efforts.

Several QUERI centers have capitalized on existing organizational databases, while others have collected their own QUERI-specific organizational structure and process data for these purposes. These efforts have enabled QUERI researchers to document variations in how care is organized across the system, and explicitly integrate these local variations into the design and conduct of implementation approaches. For example, QUERI-HIV researchers fielded a national provider survey to assess the structure and processes underlying HIV care delivery [73], and used that information to elucidate the organizational factors associated with adoption of HIV guidelines (e.g., urban, complex, larger HIV caseloads, use HIV case managers, report fewer barriers to antiretroviral therapy and opportunistic infection prophylaxis guideline implementation) and HIV-specific QI activities (e.g., larger, more complex facilities) [74]. Diabetes QUERI researchers have used general and QUERI-focused organizational surveys to benchmark practices with a system outside the VA [75], appraise the contribution of practice variations at the patient, provider and facility levels [76], and identify organizational characteristics associated with better glycemic control (e.g., greater primary care authority over establishing clinical policies, greater staffing authority, greater use of computerized diabetes reminders, special teams or protocols to respond to clinical issues, weekly meetings of multidisciplinary clinical teams) [77]. Mental Health QUERI researchers have evaluated organizational factors associated with differences in management of mental health disorders [78] and antipsychotic prescribing patterns [79].

Implement Quality Improvement (QI) Interventions (Step #4)

Organizational factors come into play throughout the process of developing, adapting and implementing QI interventions (i.e., strategies for implementing research findings into routine care). They provide a framework for diagnosing critical local conditions; developing a general

implementation strategy; creating specific accommodations for different organizational contexts; and informing the design of subsequent evaluation studies. For example, in preparing to implement evidence-based interventions, it is important to assess local needs and capacities. Such needs assessments include appraisals of organizational readiness to change and diagnosis of system barriers and facilitators to the adoption of evidence-based practice at target sites [14].

The degree to which QUERI researchers have used information about organizational variations in the design and implementation of QI interventions has varied (Table 4). In the Mental Health QUERI, researchers analyzed the organizational predictors of primary care performance in general and of joint primary care-mental health management of depression specifically (vs. referral to specialty mental health care) to guide selection of VA sites to participate in a multi-state implementation of depression collaborative care [80]. These organizational data led them to choose implementation sites that were of small-to-moderate size and scored high on measures of practice autonomy, access to specialty referrals (in contrast to strict preauthorization), and use of generalist physicians instead of physician extenders in primary care. Similarly, once sites were selected for implementation, further accommodations had to be designed to address community-based sites' needs (e.g., use of telephone instead of on-site depression care manager). In QUERI-HIV, data on how HIV care was organized in VA facilities nationwide were used to identify and sample among sites with certain minimum criteria for recruitment (e.g., had to have adopted HIV QI guidelines and report provider readiness for change) [74] into a subsequent crossover trial in 16 sites [81].

Few large-scale experimental trials of the effects of specific adaptations to local organizational context that may be incorporated in Step #4 implementation efforts have been conducted.

Recruitment of a sufficient number of organizations with the characteristics of interest typically

requires dozens of health care settings, adding to the size, expense and complexity of cluster randomized trials [82]. Adaptations to local organizational context therefore commonly occur as extrapolations from associations identified in quantitative cross-sectional analyses or through application of qualitative data. It is important that the level of evidence supporting on-the-ground changes in implementation protocols and procedures from site-to-site be clearly described. Otherwise, our ability to evaluate their deployment of these adaptations is limited.

Evaluate Quality Improvement (QI) Interventions (Steps #5-6)

Consideration of organizational factors should explicitly shape the evaluation methods used in Steps #5 and #6. Methods used for assessing organizational factors in these types of evaluations use multi-method techniques, commonly combining qualitative inquiry (e.g., semi-structured interviews of key informants or focus groups of providers) and quantitative data collection (e.g., through surveys of leaders, providers or patients).

Unlike the organizational variations studies described for Step #3 or the adaptation or addition of program components that address organizational context in Step #4, QUERI studies in Steps #5 and #6 explore the organizational factors associated with adoption, implementation and impacts of the targeted QI intervention. These studies may be distinguished from the pre-implementation organizational research (which is chiefly cross-sectional) in that implementation researchers aim to evaluate organizational predictors of quality improvement (i.e., *changes in quality* post-implementation). This is related to the more action-oriented research where fewer organizational factors are controlled for and also to pragmatic randomized trials where sufficiently large samples of organizations are included to enable subgroup analyses (i.e., effects for different types of practices). Here, organizational evaluation may be formative (i.e., iterative component of practice redesign efforts) or outcomes-oriented (e.g., cluster randomized trials of

implementation strategies or new policies or procedures designed to improve care) [42,82,83]. They may also focus on the organizational factors associated with adoption, penetration, sustainability or spread of interventions that have already been shown to be efficacious under ideal circumstances and effective in different types of settings.

Organizational research at Steps #5-6 has focused either on explicit integration and evaluation of organizational factors within the QI strategy itself (e.g., adding organizational supports as recommended in the IoM report) [84] or evaluation of organizational influences on how well a QI strategy performed across intervention sites. Understanding site-level effects and provider variation similarly enable refinement and improved fit of the evidence to local organizational and practice issues [85-87].

Several QUERI examples apply. In the Substance Use Disorders (SUD) QUERI, formative evaluation of organizational barriers in a multi-state group randomized trial of evidence-based quality improvement strategies for implementing smoking cessation guidelines led to a redesign of key components. During the trial, qualitative evaluation of organizational processes identified patient reluctance to attend smoking cessation clinics, inconsistent provider readiness to counsel in primary care, and variable ease in referral and capacity in behavioural health sessions. Quantitative surveys and analysis of the organizational factors (e.g., formulary changes, smoking cessation clinic availability) influencing smoking cessation clinic referral practices across the 18 participating sites were also used [88-89]. The new implementation strategy—deployed in a subsequent trial—replaced the need for multiple in-person counselling sessions with EMR-based referral to telephone counselling. In the Mental Health QUERI, evaluation of the organizational factors associated with penetration of a depression collaborative care model among VA primary care providers in six initial intervention sites is being used to help sustain and customize spread

to another 20+ sites. Qualitative interviews combined with quantitative site surveys suggest that sites with strong practice autonomy tend to push the intervention to more providers faster (higher penetration) but have greater difficulty sustaining the intervention than sites that take more time to try out and adapt the intervention among smaller provider groups. With a parallel focus on schizophrenia, the Mental Health QUERI has also done extensive work to use EMR automated data to monitor antipsychotic prescribing as a tool for QI evaluation [90]. Each QUERI Center is working through these types of organizational research issues as implementation efforts accelerate throughout the VA.

Discussion

We posit that a better understanding of the organizational factors related to implementation of evidence-based practice is a critical adjunct to efforts to systematically improve quality across a system of care, especially when the evidence must be translated to increasingly diverse practice settings. Specifically, more explicit accommodation of organizational inquiry into implementation research agendas has helped QUERI researchers to better frame and extend their work as they move toward regional and national spread activities. While some QUERI researchers have used traditional or pragmatic randomized trials, they have also worked to integrate complementary evaluation methods that capture organizational attributes in ways that enable them to open the “black box” of implementation, and in turn help inform and accelerate adoption and spread of evidence-based practice in each successive wave of practices. We argue for the value of casting organizational research as one of several lenses through which implementation research may be viewed.

Systematically integrating organizational research applications into implementation research is not without its challenges. Organizational research comes with its own methodological challenges in terms of appropriate study designs, adequate statistical power at the organizational unit of analysis, and multi-level analytical issues that require attention. Integrating organizational factors into empirical research has been daunting for most researchers given the logistical difficulties and costs of working with large numbers of hospitals or practices [90]. However, even in smaller studies, it is not uncommon for researchers to describe the effectiveness of interventions, such as reminders or audit-and-feedback, without describing the organizational supports or other contextual factors influencing their success [3]. No less important, the ability to study and manipulate organizational factors is confounded by sample size requirements of traditional research designs, invoking serious limitations in the conduct of most organizational research. Measurement of organizational constructs can also be difficult and requires identifying appropriate data sources (e.g., administrative data, practice checklists, surveys) and the right respondent(s) at one or more levels of the organization as key informants if primary data are to be collected. Just as research at the patient or provider level tends to disregard organizational factors, organizational research should also adequately account for the contribution of patient characteristics (e.g., socio-demography, health status, clinical severity, co-morbidity) and provider characteristics (e.g., knowledge, attitudes, behaviour) where possible. Unfortunately, patient-level data clustered within providers and their respective organizations are not commonly available, creating built-in limitations in the interpretability of organizational research. Because of its size, diversity and national data systems, the VA provides a useful venue for developing transferable insights regarding the effects of fixed and mutable organizational factors on routine care implementation. Virtually no other U.S. health care system can accomplish this to the same

degree, with important exceptions of regional systems such as Kaiser Permanente. In many respects, the VA is more akin to national health systems outside the U.S., such as those in the UK and Australia [91], suggesting natural opportunities for cross-national comparisons and collaboration.

While this paper focuses on the influence of internal organizational characteristics on implementation of evidence-based practice, recognition of the importance of context requires brief mention of environmental factors (i.e., characteristics external to the organization).

Environmental factors include geography (e.g., region, state, urban/rural location), area population characteristics (e.g., population density, sociodemography, community health status), area resources (e.g., numbers of health care providers per 1,000 residents), and other relevant area characteristics (e.g., managed care penetration, regulatory environment). Such factors may influence how health care organizations are structured, though organizational factors may also serve to mediate the impact of environmental factors on care processes and patient outcomes. For example, higher primary physician-to-patient staffing ratios in rural VA facilities appear to offset local gaps in specialty access and are associated with comparable quality [92]. Not surprisingly, deployment of system interventions into urban vs. rural facilities, often dictates different organizational adaptations to account for area resources. Explicit acknowledgment and planning for these influences ahead of implementation efforts is arguably a better approach than post-hoc reactions once in the field. The key is that context matters and requires continual evaluation to determine how context may constrain or create opportunities for improving implementation [93].

Implementation research studies are strategically progressing from local to regional to national in scope [13]. In parallel, methodologically—and along the lines of the six QUERI steps—they are moving from variations studies to tests of intervention and implementation effectiveness to

evaluations of spread and then to policy development [14]. It is incumbent on us to bridge the gap between the published evidence base and this proposition for accelerating implementation success by explicitly addressing organizational factors in their design and conduct. Capitalizing on its health services research infrastructure, the VA's investment in QUERI affords key lessons and exceptional opportunities to pursue evaluation of the influence of organizational factors on implementation of evidence-based practice. QUERI implementation researchers have extended their reach and impact by integrating an organizational research framework into their efforts to implement and sustain evidence-based practice and to foster evidence-based management [86].

List of abbreviations used

VHA = Veterans Health Administration

QUERI = The US Veterans Health Administration's Quality Enhancement Research Initiative (QUERI) program

EMR = electronic medical record

CPRS = Computerized Patient Records System

CQI = continuous quality improvement

QI = quality improvement

PC = primary care

GI = gastrointestinal

HIV = human immunodeficiency virus

Competing interests

The author declares that she has no competing interests in the work represented here. The views expressed in this article are those of the author and do not necessarily represent the views of the Department of Veterans Affairs.

Authors' contributions

EMY conceived of the content, identified relevant work, and drafted and iteratively revised and finalized the manuscript.

Acknowledgements

This work was funded by the U.S. Department of Veterans Affairs, Veterans Health Administration, VA Health Services Research & Development (HSR&D) Service through the VA Greater Los Angeles HSR&D Center of Excellence (Project #HFP 94-028) and the VA HSR&D and QUERI-funded “Regional Expansion and Testing of Depression Collaborative Care” (ReTIDES) (Project # MNT 01-027). The author would also like to acknowledge and thank the editors and reviewers for their thoughtful critiques and useful input.

References

1. Flood AB: **The impact of organizational and managerial factors on the quality of care in health care organizations.** *Med Care Rev* 1994;**51**:381-428.
2. Fixsen DL, Naoom SF, Blasé KA, Friedman RM, Wallace F: **Organizational context and external influences.** In *Implementation research: A synthesis of the literature.* Tampa, Florida: University of South Florida, Louis de la Parte Florida Mental Health Institute, The National Implementation Research Network (FMHI Publication #231); 2005:58-66.
3. Solberg LI: **Guideline implementation: What the literature doesn't tell us.** *Jt Comm J Qual Improve* 2000;**26**:525-537.
4. McQueen L, Mittman BS, Demakis JG. **Overview of the Veterans Health Administration (VHA) Quality Enhancement Research Initiative (QUERI).** *J Am Med Inform Assoc* 2004, 11:339-343.
5. Demakis JG, McQueen L, Kizer KW, Feussner JR. **Quality Enhancement Research Initiative (QUERI): A collaboration between research and clinical practice.** *Med Care* 2000, 38(6 Suppl 1):I17-25.
6. Stetler CB, Mittman BS. **QUERI series overview paper.** *Implem Sci* 2007, [full citation in process].
7. Mittman BS. **QUERI framework paper.** *Implem Sci* 2007, [full citation in process].
8. Shortell SM: **Increasing value: a research agenda for addressing the managerial and organizational challenges facing health care delivery in the United States.** *Med Care Res Rev* 2004;**61**(3 Suppl):12S-30S.
9. Hampshire AJ: **What is action research and can it promote change in primary care?** *J Eval Clin Pract* 2000;**6**:337-343.

10. Grimshaw JM, Eccles MP, Walker AE, Thomas RE: **Changing physicians' behavior: what works and thoughts on getting more things to work.** *J Cont Educ Health Prof* 2002;**22**:237-243.
11. Hawe P, Shiell A, Riley T: **Complex interventions: how "out of control" can a randomised controlled trial be?** *BMJ* 2004;**328**:1561-1563.
12. Hammermeister KE, Shroyer AL, Sethi GK, Grover FL: **Why it is important to demonstrate linkages between outcomes of care and processes and structures of care.** *Med Care* 1995;**33**(10 Suppl):OS5-OS16.
13. Rubenstein LV, Pugh J: **Strategies for promoting organizational and practice change by advancing implementation research.** *J Gen Intern Med* 2006;**21**:S58-S64.
14. Kochevar L, Yano EM: **Understanding organizational needs and context: beyond performance gaps.** *J Gen Intern Med* 2006;**21**:S73-S77.
15. Landon BE, Wilson IB, Cleary PD: **A conceptual model of the effects of health care organizations on the quality of medical care.** *JAMA* 1998;**279**:1377-1382.
16. Rhydderch M, Elwyn G, Marshall M, Grol R: **Organisational change theory and the use of indicators in general practice.** *Qual Saf Health Care* 2004;**13**:213-217.
17. Wensing M, Wollersheim H, Grol R: **Organizational interventions to implement improvements in patient care: a structured review of reviews.** *Implem Sci* 2006;**1**:2-10.
18. Slotnick HB, Shershneva MB: **Use of theory to interpret elements of change.** *J Cont Educ Health Prof* 2002;**22**:197-204.
19. Bhattacharyya O, Reeves S, Garfinkel S, Zwarenstein M: **Designing theoretically-informed implementation interventions: Fine in theory, but evidence of effectiveness in practice is needed.** *Implem Sci* 2006;**1**:1-5.

20. Greenhalgh T, Robert G, Macfarlane F, Bate P, Kyriakidou O: **Diffusion of innovations in service organizations: systematic review and recommendations.** *Milbank Q* 2004;**82**:581-629.
21. Green LW, Kreuter MW: **Health promotion planning: An educational and ecological approach (3rd Edition).** New York, New York: McGraw-Hill; 1999.
22. Glasgow RE, Vogt TM, Boles SM: **Evaluating the public health impact of health promotion interventions: the RE-AIM framework.** *Am J Public Health* 1999;**89**:1322-1327.
23. Bodenheimer T, Wagner EH, Grumbach K: **Improving primary care for patients with chronic illness: the chronic care model, part 2.** *JAMA* 2002;**288**:1909-1914.
24. Plsek P: **Redesigning health care with insights from the science of complex adaptive systems.** In: *Crossing the Quality Chasm: A New Health System for the 21st Century.* Washington DC: National Academy of Sciences; 2000:309-322.
25. Michie S, Johnston M, Abraham C, Lawton R, Parker D, Walker A, on behalf of the “Psychological Theory” Group: **Making psychological theory useful for implementing evidence-based practice: a consensus approach.** *Qual Saf Health Care*, 2005;**14**:26-33.
26. Donaldson L: *American anti-management theories of organization: a critique of paradigm proliferation.* Cambridge, MA: Cambridge University Press; 1995.
27. Mowatt G, Grimshaw JM, Davis DA, Mazmanian PE: **Getting evidence into practice: the work of the Cochrane Effective Practice and Organization of care Group (EPOC).** *J Contin Educ Health Prof* 2001;**21**:55-60.
28. Grimshaw J, Eccles M, Thomas R, MacLenna G, Ramsay C, Fraser C, Vale L: **Toward evidence-based quality improvement: evidence (and its limitations) of the effectiveness**

- of guideline dissemination and implementation strategies (1966-1998).** *J Gen Intern Med* 2006;**21**:S14-S20.
29. Alexander JA, Weiner BJ, Shortell SM, Baker LC, Becker MP: **The role of organizational infrastructure in implementation of hospitals' quality improvement.** *Hosp Top* 2006;**84**:11-20.
30. Shortell SM, Zazzali JL, Burns LR, Alexander JA, Gillies RR, Budetti PP, Waters TM, Zuckerman HS: **Implementing evidence-based medicine: The role of market pressures, compensation incentives, and culture in physician organizations.** *Med Care* 2001;**39**:I62-I78.
31. Scott T, Mannion R, Davies H, Marshall M: **Does organizational culture influence health care performance?** *J Health Serv Res Policy* 2003;**8**:105-117.
32. Weiner BJ, Alexander JA, Shortell SM, Baker LC, Becker MP, Geppert JJ: **Quality improvement implementation and hospital performance on quality indicators.** *Health Serv Res* 2006;**41**:307-334.
33. Stange DC, Goodwin MA, Zyzanski SJ, Dietrich AJ: **Sustainability of a practice-individualized preventive service delivery intervention.** *Am J Prev Med* 2003;**25**:296-300.
34. Goodwin MA, Zyzanski SJ, Zronek S, et al: **A clinical trial of tailored office systems for preventive service delivery: the study to enhance prevention by understanding practice (STEP-UP).** *Am J Prev Med* 2001;**21**:20-28.
35. Shaw B, Cheater F, Baker R, Gillies C, Hearnshaw H, Flottorp S, Robertson N: **Tailored interventions to overcome identified barriers to change: effects on professional practice and health care outcomes.** *Cochrane Database Syst Rev* 2005;Jul 20;(3):CD005470.

35. Shortell SM, Schmittidiel J, Wang MC, Li R, Gillies RR, Casalino LP, Bodenheimer T, Rundall TG: **An empirical assessment of high-performing medical groups: results from a national study.** *Med Care Res Rev* 2005;**62**:407-434.
36. Stetler CB, Legro MW, Wallace CM, Bowman C, Guihan M, Hagedorn H, Kimmel B, Sharp ND, Smith JL: **The role of formative evaluation in implementation research and the QUERI experience.** *J Gen Intern Med* 2006;**21**:S1-S8.
37. McLaughlin C, Kaluzny A: **Continuous quality improvement in health care: theory, implementation and applications.** London, UK: Jones and Bartlett Publishers International; 2004.
38. Kilpatrick KE, Lohr KN, Leatherman S, Pink G, Buckel JM, Legarde C, Whitener L: **The insufficiency of evidence to establish a business case for quality.** *Int J Qual Health Care* 2005;**17**:347-355.
39. Reiter KL, Kilpatrick KE, Greene SB, Lohr KN, Leatherman S: **How to develop a business case for quality.** *Int J Qual Health Care* 2007;**19**:50-55.
40. Mercer SL, Devinney BJ, Fine LJ, Green LW, Dougherty D: **Study designs for effectiveness and translation research identifying trade-offs.** *Am J Prev Med* 2007;**33**:139-154.
41. Sanson-Fisher RW, Bonevski B, Green LW, D'Este C: **Limitations of the randomized controlled trial in evaluating population-based health interventions.** *Am J Prev Med* 2007;**33**:155-161.
42. Glasgow RE, Magid DJ, Beck A, Ritzwoller D, Estabrooks PA: **Practical clinical trials for translating research to practice: design and measurement recommendations.** *Med Care* 2005;**43**:551-557.

43. Godwin M, Ruhland L, Casson I, MacDonald S, Delva D, Birtwhistle R, Lam M, Seguin R: **Pragmatic controlled clinical trials in primary care: the struggle between external and internal validity.** *BMC Med Res Methodol* 2003;**3**:28.
44. van der Windt DA, Koes BW, van Aarst M, Heemskerk MA, Bouter LM: **Practical aspects of conducting a pragmatic randomized trial in primary care: patient recruitment and outcome assessment.** *Br J Gen Pract* 2000;**50**:371-374.
45. Britton A, McKee M, Black N, McPherson K, Sanderson C, Bain C: **Threats to applicability of randomised trials: exclusions and selective participation.** *J Health Serv Res Policy* 1999;**4**:112-121.
46. Green LW, Glasgow RE: **Evaluating the relevance, generalization, and applicability of research: issues in external validation and translation methodology.** *Eval Health Prof* 2006;**29**:126-153.
47. Donabedian A: **Basic approaches to assessment: structure, process and outcome.** In *The definition of quality and approaches to its assessment.* Donabedian A. Ann Arbor, Michigan: Health Administration Press; 1980:77-128.
48. Donabedian A: **Institutional and professional responsibilities in quality assurance.** *Qual Assur Health Care* 1989;**1**:3-11.
49. Donabedian A: **Twenty years of research on the quality of medical care: 1964-1984.** *Eval Health Prof* 1985;**8**:243-265.
50. Landon BE, Zaslavsky AM, Beaulieu ND, Shaul JA, Cleary PD: **Health plan characteristics and consumers' assessments of quality.** *Health Aff* 2001;**20**:274-286.
51. Charns MP: **Organization design of integrated delivery systems.** *Hosp Health Serv Adm* 1997;**42**:411-432.

52. Byrne MM, Charns MP, Parker VA, Meterko MM, Wray NP: **The effects of organization on medical utilization: an analysis of service line organization.** *Med Care* 2004;**42**:28-37.
53. Doebbeling BN, Chou AF, Tierney WM: **Priorities and strategies for the implementation of integrated informatics and communications technology to improve evidence-based practice.** *J Gen Intern Med* 2006;**21**:S50-S57.
54. Scott T, Mannion R, Davies HTO, Marshall MN: **Implementing culture change in health care: theory and practice.** *Int J Qual Health Care* 2003;**15**:111-118.
55. Schein EH: **What culture is and does.** In *Organizational culture and leadership.* Schein EH. San Francisco, California: Jossey-Bass; 1992.
56. Martin JL: **Organizational culture: Mapping the terrain.** Thousand Oaks, California: Sage Publications; 2001:3-28, 29-54, 55-168.
57. Shortell SM, O'Brian J, Carman J, et al: **Assessing the impact of continuous quality improvement/total quality management: concept versus implementation.** *Health Serv Res* 1995;**30**:377-401.
58. Ingersoll GL, Kirsch JC, Merk SE, Lightfoot J: **Relationship of organizational culture and readiness for change to employee commitment to the organization.** *J Nurs Adm* 2000;**30**:11-20.
59. Bodenheimer T, Wang MC, Rundall TG, Shortell SM, Gillies RR, Oswald N, Casalino L, Robinson JC: **What are the facilitators and barriers in physician organizations' use of care management processes?** *Jt Comm J Qual Saf* 2004;**30**:505-514.
60. Smircich L: **Concepts of culture and organizational analysis.** *Adm Sci Quarterly* 1983;**28**:339-358.

61. Mannion R, Davies HT, Marshall MN: **Cultural characteristics of high and low performing hospitals.** *J Health Organ Manag* 2005;**19**:431-439.
62. Kitchener M, Caronna CA, Shortell SM: **From the doctor's workshop to the iron cage? Evolving modes of physician control in US health systems.** *Soc Sci Med* 2005;**60**:1311-1322.
63. Sales A, Smith J, Curran G: **Models, strategies and tools: Theory in implementing evidence-based findings into health care practice.** *J Gen Intern Med* 2006;**21**:S43-49.
64. Schein EH: **The anxiety of learning.** *Harv Bus Rev* 2002;**80**:100-6,134.
65. Crow G: **Diffusion of innovation: the leaders' role in creating the organizational context for evidence-based practice.** *Nurs Adm Q* 2006;**30**:236-242.
66. Kizer KW, Demakis JG, Feussner JR: **Reinventing VA health care: systematizing quality improvement and quality innovation.** *Med Care* 2000;**38**:17-16.
67. Rubenstein LV, Fink A, Yano EM, Simon B, Chernof B, Robbins AS: **Increasing the impact of quality improvement on health: An expert panel method for setting institutional priorities.** *Jt Comm J Qual Improve* 1995;**21**:420-432.
68. Stone EG, Morton SC, Hulscher ME, Maglione MA, Roth EA, Grimshaw JM, Mittman BS, Rubenstein LV, Rubenstein LZ, Shekelle PG: **Interventions that increase use of adult immunization and cancer screening services: A meta-analysis.** *Annals Int Med* 2002;**136**:641-651.
69. Yano EM, Fink A, Hirsch S, Robbins AS, Rubenstein LV: **Helping practices reach primary care goals: Lessons from the literature.** *Arch Int Med* 1995;**155**:1146-1156.
70. Glasgow RE, Strycker LA, King D, Toobert D, Kulchak Rahm A, Jex M, Nutting PA: **Robustness of a computer-assisted diabetes self-management intervention across**

patient characteristics. *Am J Managed Care* 2006;**12**:137-145.

71. Fiore MC, Croyle RT, Curry SJ, Cutler CM, Davis RM, Gordon C, et al: **Preventing 3 million premature deaths and helping 5 million smokers quit: A national action plan for tobacco cessation.** *Am J Public Health* 2004;**94**:205-210.
72. Yano EM, Soban LM, Parkerton PH, Etzioni DA: **Primary care practice organization influences colorectal cancer screening performance.** *Health Serv Res* 2007,**48**(3):1130-1149.
73. Yano EM, Asch SM, Phillips B, Anaya H, Bowman C, Bozzette S: **Organization and management of care for military veterans with HIV/AIDS in Department of Veterans Affairs medical centers.** *Mil Med* 2005;**170**:952-959.
74. Anaya H, Yano EM, Asch SM: **Early adoption of HIV quality improvement in VA medical centers: Use of organizational surveys to assess readiness to change and adapt interventions to local priorities.** *Am J Med Qual* 2004;**19**:137-144.
75. Kerr EA, Gerzoff RB, Krein SL, Selby JV, Piette JD, Curb JD, Herman WH, Marrero DG, Narayan KM, Safford MM, Thompson T, Mangione CM: **Diabetes care quality in the Veterans Affairs health care system and commercial managed care: the TRIAD study.** *Ann Intern Med* 2004;**141**:272-281.
76. Krein SL, Hofer TP, Kerr EA, Hayward RA: **Whom should we profile? Examining diabetes care practice variation among primary care providers, provider groups, and health care facilities.** *Health Serv Res* 2002;**37**:1159-1180.
77. Jackson GL, Yano EM, Edelman D, Krein SL, Ibrahim MA, Carey TS, Lee SYD, Hartman KE, Dudley TK, Weinberger M: **Veterans Affairs primary care organizational**

- characteristics associated with better diabetes control.** *Am J Manag Care* 2005;**11**:225-237.
78. Kilbourne AM, Pincus HA, Schutte K, Kirchner JE, Haas GL, Yano EM: **Management of mental disorders in VA primary care practices.** *Adm Pol Mental Health Serv Res* 2006;**33**:208-214.
79. Owen RR, Fen W, Thrush CR, Hudson TJ, Austen MA: **Variations in prescribing practices for novel antipsychotic medications among Veterans Affairs hospitals.** *Psychiatr Serv* 2001;**52**:1523-1525.
80. Felker B, Rubenstein LV, Bonner LM, Yano EM, Parker LE, Worley LL, Sherman SE, Ober SK, Chaney E: **Developing effective collaboration between primary care and mental health providers.** *Prim Care Companion J Clin Psychiatry* 2006;**8**:12-16.
81. Fremont AM, Joyce G, Anaya HD, Bowman CC, Halloran JP, Chang SW, Bozzette SA, Asch SM: **An HIV collaborative in the VHA: do advanced HIT and one-day sessions change the collaborative experience?** *Jt Comm J Qual Patient Saf*, 2006;**32**:324-336.
82. Eccles M, Grimshaw J, Campbell M, Ramsay C: **Research designs for studies evaluating the effectiveness of change and improvement strategies.** *Qual Saf Health Care* 2003;**12**:47-52.
83. Stetler CB: **Role of the organization in translating research into evidence-based practice.** *Outcomes Manag* 2003;**7**:97-103.
84. Institute of Medicine: *Crossing the quality chasm: a new health system for the 21st century.* Washington DC: National Academy Press; 2001.

85. Rycroft-Malone J, Harvey G, Seers K, Kitson A, McCormack B, Titchen A: **An exploration of the factors that influence the implementation of evidence into practice.** *J Clin Nurs* 2004;**13**:913-924.
86. Rycroft-Malone J, Kitson A, Harvey G, McCormack B, Seers K, Titchen A, Estabrooks C: **Ingredients for change: revisiting a conceptual framework.** *Qual Saf Health Care* 2002;**11**:174-180.
87. Grol R, Wensing M: **What drives change? Barriers to and incentives for achieving evidence-based practice.** *Med J Aust* 2004;**180**:S57-S60.
88. Sherman SE, Joseph AM, Yano EM, Simon BF, Arikian N, Rubenstein LV, Mittman BS: **Assessing the institutional approach to implementing smoking cessation practice guidelines across a managed care organization.** *Mil Med* 2006;**17**:80-87.
89. Sherman SE, Yano EM, Lanto AB, Chernof BA, Mittman BS: **Assessing the structure of smoking cessation care in the Veterans Health Administration.** *Am J Health Promotion* 2006;**May/Jun**:313-318.
90. Owen RR, Thrush CR, Cannon D, Sloan KL, Curran G, Hudson T, Austen M, Ritchie M: **Use of electronic medical record data for quality improvement in schizophrenia treatment.** *J Am Med Inform Assoc*, 2004;**11**:351-7.
90. Ferlie E: **Large-scale organizational and managerial change in health care: a review of the literature.** *J Health Serv Res Policy* 1997;**2**:180-189.
91. Lomas J: **Health services research.** *Br Med J* 2003;**327**:1301-1302.
92. Weeks WB, Yano EM, Rubenstein LV: **Primary care practice management in rural and urban Veterans Health Administration settings.** *J Rural Health*, 2002;**18**:298-303.
93. Johns G: **In praise of context.** *J Organiz Behav*, 2001;**22**:31-42.

Figures

Figure 1 – Applications of Organizational Research to QUERI Implementation

Tables

Table 1: The VA Quality Enhancement Research Initiative (QUERI)

The U.S. Department of Veterans Affairs' (VA) Quality Enhancement Research Initiative (QUERI) was launched in 1998. QUERI was designed to harness VA's health services research expertise and resources in an ongoing system-wide effort to transform the quality and performance of the VA health care system.

QUERI researchers collaborate with VA policy and practice leaders, clinicians, and operations staff to implement appropriate evidence-based practices into routine clinical care. They work within distinct disease- or condition-specific QUERI Centers and utilize a standard six-step process:

- 1) Identify high-risk/high-volume diseases or problems
- 2) Identify best practices
- 3) Define existing practice patterns and outcomes across the VA and current variation from best practices
- 4) Identify and implement interventions to promote best practices
- 5) Document that best practices improve outcomes
- 6) Document that outcomes are associated with improved health-related quality of life.

Within Step 4, QUERI implementation efforts generally follow a sequence of four phases to enable the refinement and spread of effective and sustainable implementation programs across multiple VA medical centers and clinics. The phases include:

- 1) Single site pilot

- 2) Small scale, multi-site implementation trial
- 3) Large scale, multi-region implementation trial
- 4) System-wide rollout

Researchers employ additional QUERI frameworks and tools, as highlighted in this *Series*, to enhance achievement of each project's quality improvement and implementation science goals.

Table 2 – Common Measures of the Characteristics of Health Care Organizations

Organizational Structure
<ul style="list-style-type: none"> • Size of organizational unit(s) (eg, facilities, beds, providers) • Academic affiliation (eg, scope of training programs, integration of trainees in care delivery) • Service availability (eg, differentiation and scope of services, general and specialty services, access to specialized units) • Configuration (eg, service lines, teams, integrated networks) • Staffing/skillmix (eg, types of providers, level of training/experience) • Leadership structure/authority (e.g., leadership quality, hierarchical vs. vertical structures, ownership, practice autonomy, organizational influence) • Financial structure (e.g., health plan, reimbursement, compensation structures) • Availability of basic and specialized service, equipment or supplies • Resource allocation methods, resource sufficiency and equitable distribution • Organizational culture (e.g., group culture, teamwork, risk-taking, innovativeness) • Work environment/organizational climate • Knowledge, attitudes, beliefs of managers, providers, staff (e.g., organizational readiness to change) • Level of organizational stress/tensions, degree of hassles
Organizational Processes
<ul style="list-style-type: none"> • Care management processes (e.g., practice arrangements, use of care managers to coordinate services and follow-up) • Referral procedures (e.g., demonstration of need for referral, identification of appropriate provider resources, nature of handoffs, communication of referral results/outcomes, returns) • Organizational supports for clinical decision-making (e.g., use of reminders, disease-specific checklists or computerized templates, electronic co-signing; designated staff implementing general or disease-specific protocols) • Recognition/rewards, incentive systems, pay-for-performance • Communication processes, procedures, quality of interactions • Relationships (nature of roles and responsibilities, interpersonal styles,) • Problem solving, conflict management, communication and response to expectations

Table 3 -- The Role of Organizational Research in QUERI

QUERI PROCESS STEP	ROLE OF ORGANIZATIONAL RESEARCH
	Organizational (or Practice) Level
PLAN	
#1: Select diseases/conditions/populations: <ul style="list-style-type: none"> • Identify and prioritize high risk/high burden clinical conditions • Identify high priority clinical practices/outcomes within a selected condition 	<ul style="list-style-type: none"> • Evaluate disease prevalence among member organizations or individual practices to ascertain how salient target conditions are system-wide (i.e., related to organizational readiness to change)
#2: Identify evidence-based guidelines and clinical recommendations: <ul style="list-style-type: none"> • Identify evidence-based practice guidelines • Identify evidence-based clinical recommendations 	<ul style="list-style-type: none"> • Begin to consider implications of organizational settings where efficacy and effectiveness studies were conducted vs. where evidence will subsequently be applied
#3: Measure and diagnose quality gaps: <ul style="list-style-type: none"> • Measure existing practice patterns and outcomes across VHA, identify variations • Identify determinants of current practices • Diagnose quality gaps and identify barriers and facilitators to improvement 	<ul style="list-style-type: none"> • Measure general organizational determinants of variations relative to the targeted condition/practice • Include measures of organizational structure and processes when diagnosing quality gaps • Determine general organizational factors that serve as barriers and facilitators to improvement to implementation in general and specific to the targeted condition/practice
DO	
#4: Implement improvement programs (strategy, program, program components or tools) to address quality gaps <ul style="list-style-type: none"> • Identify QI interventions (eg, per literature reviews) • Develop or adapt QI interventions (eg, educational resources, decision support) • Implement QI interventions 	<ul style="list-style-type: none"> • Assess/diagnose local needs, gaps, and capacities in target sites • Use organizational characteristics to facilitate site selection for implementation • Evaluate organizational readiness to change • Design and evaluate additional intervention components based on local context (tailoring)
STUDY and ACT	
#5: Evaluate improvement programs <ul style="list-style-type: none"> • Assess improvement program feasibility, implementation, and impacts on patient, family and system outcomes 	<ul style="list-style-type: none"> • Evaluate organizational structure, process and behaviours related to adoption and penetration • Analyze site and system-level effects and costs • Inform policy development for sustainability and spread to different organizational types and levels of complexity
#6: Evaluate improvement programs <ul style="list-style-type: none"> • Assess improvement program impacts on health-related quality of life (HRQOL) 	

Table 4 – Examples of QUERI Organizational Research Findings and their Application in QUERI Implementation Research

QUERI Center	Condition	Examples of Steps #1-3 Organizational Research	Specific QUERI Applications to Steps #4-6
Mental Health (MH) QUERI	Depression	<p>Guidelines adapted for local use through modified Delphi methods taking organizational resources and priorities into account [#]</p> <p>Assessed variations in usual care in PC clinics in anticipation of implementing collaborative care</p> <p>Used national organizational survey to measure factors associated with PC¹-MH joint management of depression, which included:</p> <ul style="list-style-type: none"> • practice size (small-to-medium size VAs) • more generalist MDs (instead of MD extenders) • greater specialty access (instead of preauthorization for specialty use) • higher PC practice autonomy and provider incentives <p>Guidelines updated based on lessons learned from additional randomized trials (Steps #4-6 coming full circle to revise Step #1)</p>	<ul style="list-style-type: none"> • Used knowledge of organizational factors per Step #3 to select 1st generation sites for implementing and evaluating depression collaborative care • Measured site-specific structure of care using semi-structured interviews of PC and MH leaders • Targeted additional intervention components to sites needing more provider education to ensure formulary access to antidepressants • Identified organizational factors associated with local adoption/penetration of collaborative care • Applied organizational factors to further adapt implementation for rollout to 2nd generation sites

QUERI Center	Condition	Examples of Steps #1-3 Organizational Research	Specific QUERI Applications to Steps #4-6
Substance Use Disorders QUERI	Smoking cessation	<p>Used organizational survey linked to performance measures data and determined that higher tobacco counselling rates occurred among:</p> <ul style="list-style-type: none"> • small-to-medium size, non-academic VAs • sites with greater staff commitment to QI • sites that have integrated nurse practitioners and behavioural health professionals in PC practice • sites with separate PC budget authority • sites with inpatient-outpatient continuity <p>Used site surveys and administrative data to ascertain organizational resources before introducing evidence-based options</p> <ul style="list-style-type: none"> • primary care-based changes in care vs. specialty referral-based changes in care 	<ul style="list-style-type: none"> • Used organizational factors to pair PC practices on size and academic affiliation in group RCT of smoking cessation guideline implementation • Measured site-specific structure of care using key informant organizational surveys • Adapted intervention to accommodate local structural variations (e.g., added pharmacotherapy training) • Redesigned intervention to address factors that hindered adoption (e.g., telephone counselling)
	Alcohol use disorders	<p>Used organizational survey to evaluate factors associated with PC management of alcohol use:</p> <ul style="list-style-type: none"> • sufficiency of PC clinical support arrangements • physician involvement in QI • availability of statistician for decision support • PCPs responsibility for chronic care coverage • availability of seminars on cost-effective care 	<ul style="list-style-type: none"> • Combined separate organizational surveys of VA primary care practices and substance use programs to evaluate availability of alcohol treatment programs • Further organizational research planned before design and implementation of QI interventions
Colorectal Cancer QUERI	Colorectal cancer (CRC) screening	<p>Measured system capacity for colonoscopy using key informant organizational survey:</p> <ul style="list-style-type: none"> • availability of and access to GI specialists • key coordination mechanisms between PC-GI needed <p>Used organizational survey linked to performance measures, noting higher CRC screening rates associated with:</p> <ul style="list-style-type: none"> • PC practice autonomy 	<ul style="list-style-type: none"> • Implementation of new organizational supports for obtaining colonoscopies for patients with +FOBT • Evaluated interaction between organizational and patient-level factors (eg, organizational factors associated with racial-ethnic and gender differences) • Measured CRC-specific organizational factors (eg, GI staffing, use of PC-GI service agreements, use of community providers) in new key informant survey to further inform intervention design

QUERI Center	Condition	Examples of Steps #1-3 Organizational Research	Specific QUERI Applications to Steps #4-6
		<ul style="list-style-type: none"> • sufficiency of clinical practice support arrangements in PC practice • smaller PC practices 	<ul style="list-style-type: none"> • Integrated GI staffing and other organizational variables into system-level VA cost-effectiveness model
QUERI HIV	HIV disease	<p>Categorized VA facilities based on:</p> <ul style="list-style-type: none"> • HIV caseload (none, low volume, high volume) • Use of HIV guidelines (yes/no) and methods of promoting adherence (eg, chart audits, feedback) <p>Designed and fielded national HIV organizational survey to measure variations in HIV care delivery at the facility-level:</p> <ul style="list-style-type: none"> • Most urban VAs have special HIV clinics staffed with experienced HIV providers, while rural VAs tend to manage HIV in PC, use outside experts more • Majority of VAs have 1+ HIV case manager 	<ul style="list-style-type: none"> • Used organizational survey to measure organizational readiness for change, local barriers and preferences for different types of QI implementation (eg, reminders, group-based QI, audit-and-feedback) • Used organizational care arrangements to select sites for crossover trial (i.e., minimum eligibility criteria) • Evaluated organizational factors associated with adoption of HIV guidelines and HIV-related QI • Used administrative data to classify VA facilities by level of comprehensiveness of organizational attributes of HIV care and analyzed relationships to better control of HIV infection

¹ PC = primary care




Figure 1

Additional files provided with this submission:

Additional file 1: implscience-yano-org-sep_3_07 revise mode.doc, 309K
<http://www.implementationscience.com/imedia/2542745031580612/supp1.doc>